IEEE Xplore®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

IEEE Xplore®
1 Million Documents
1 Million Users
...And Growing

» **Search Results**

Quick Links ▽

Welcome to IEEE Xplore

- ○ **Home**
- ○ **What Can I Access?**
- ○ **Log-out**

Tables of Contents

- ○ **Journals & Magazines**
- ○ **Conference Proceedings**
- ○ **Standards**

Search

- ○ **By Author**
- ○ **Basic**
- ○ **Advanced**
- ○ **CrossRef**

Member Services

- ○ **Join IEEE**
- ○ **Establish IEEE Web Account**
- ○ **Access the IEEE Member Digital Library**

IEEE Enterprise

- ○ **Access the IEEE Enterprise File Cabinet**

🖳 **Print Format**

Your search matched **24** of **54** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or entering a new one in the text box.

| (((((((((search <or> query <or> request) and (pyr >= 1950 an | **Search** |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **An analytical model for information retrieval in wireless sensor networks using enhanced APTEEN protocol**
Manjeshwar, A.; Qing-An Zeng; Agrawal, D.P.;
Parallel and Distributed Systems, IEEE Transactions on , Volume: 13 , Issue: 12 , Dec. 2002
Pages:1290 - 1302

[Abstract]   [PDF Full-Text (526 KB)]   **IEEE JNL**

---

2 **Effects of classifier structures and training regimes on integrated segmentation and recognition of handwritten numeral strings**
Cheng-Lin Liu; Sako, H.; Fujisawa, H.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 26 , Issue: 11 , Nov. 2004
Pages:1395 - 1407

[Abstract]   [PDF Full-Text (1704 KB)]   **IEEE JNL**

---

3 **Toward an accurate analysis of range queries on spatial data**
An, N.; Jin, J.; Sivasubramaniam, A.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 15 , Issue: 2 , March-April 2003
Pages:305 - 323

[Abstract]   [PDF Full-Text (4140 KB)]   **IEEE JNL**

---

4 **Domains and active domains: what this distinction implies for the estimation of projection sizes in relational databases**
Ciaccia, P.; Maio, D.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 7 , Issue: 4 , Aug. 1995
Pages:641 - 655

[Abstract]   [PDF Full-Text (1172 KB)]   **IEEE JNL**

---

5 **The D-Tree: An Index Structure for Planar Point Queries in Location-Based Wireless Services**

Jianliang Xu; Baihua Zheng; Wang-Chien Lee; Dik Lun Lee;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 16 , Issue: 12 , Dec. 2004
Pages:1526 - 1542

[Abstract]   [PDF Full-Text (1704 KB)]   **IEEE JNL**

---

6 Population-based incremental interactive concept learning for image retrieval by stochastic string segmentations
Ghebreab, S.; Jaffe, C.C.; Smeulders, A.W.M.;
Medical Imaging, IEEE Transactions on , Volume: 23 , Issue: 6 , June 2004
Pages:676 - 689

[Abstract]   [PDF Full-Text (616 KB)]   **IEEE JNL**

---

7 A selectivity model for fragmented relations: applied in information retrieval
Blok, H.E.; Choenni, S.; Blanken, H.M.; Apers, P.M.G.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 16 , Issue: 5 , May 2004
Pages:635 - 639

[Abstract]   [PDF Full-Text (397 KB)]   **IEEE JNL**

---

8 Object-based directional query processing in spatial databases
Xuan Liu; Shekhar, S.; Chawla, S.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 15 , Issue: 2 , March-April 2003
Pages:295 - 304

[Abstract]   [PDF Full-Text (1255 KB)]   **IEEE JNL**

---

9 Exploiting design information to derive object distribution models
Purao, S.; Jain, H.K.; Nazareth, D.L.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 32 , Issue: 3 , May 2002
Pages:320 - 334

[Abstract]   [PDF Full-Text (715 KB)]   **IEEE JNL**

---

10 Efficient aggregation algorithms for compressed data warehouses
Jianzhong Li; Srivastava, J.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 14 , Issue: 3 , May-June 2002
Pages:515 - 529

[Abstract]   [PDF Full-Text (936 KB)]   **IEEE JNL**

---

11 Face recognition with radial basis function (RBF) neural networks
Meng Joo Er; Shiqian Wu; Juwei Lu; Hock Lye Toh;
Neural Networks, IEEE Transactions on , Volume: 13 , Issue: 3 , May 2002
Pages:697 - 710

[Abstract]   [PDF Full-Text (420 KB)]   **IEEE JNL**

---

12 Incremental learning methods with retrieving of interfered patterns
Yamauchi, K.; Yamaguchi, N.; Ishii, N.;
Neural Networks, IEEE Transactions on , Volume: 10 , Issue: 6 , Nov. 1999
Pages:1351 - 1365

13 Path dictionary: a new access method for query processing in object-oriented databases
Lee, W.-C.; Lee, D.L.;
Knowledge and Data Engineering, IEEE Transactions on , Volume: 10 , Issue: 3 , May-June 1998
Pages:371 - 388

14 Automatic interpretation and coding of face images using flexible models
Lanitis, A.; Taylor, C.J.; Cootes, T.F.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 19 , Issue: 7 , July 1997
Pages:743 - 756

15 Structure learning of Bayesian networks by genetic algorithms: a performance analysis of control parameters
Larranaga, P.; Poza, M.; Yurramendi, Y.; Murga, R.H.; Kuijpers, C.M.H.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 18 , Issue: 9 , Sept. 1996
Pages:912 - 926

◆IEEE

IEEE Xplore®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Search Results

Help   FAQ   Terms   IEEE Peer Review

Quick Links   �boxed▾

○ Home
○ What Can
  I Access?
○ Log-out

Tables of Contents

○ Journals
  & Magazines
○ Conference
  Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
  Web Account
○ Access the
  IEEE Member
  Digital Library

IEEE Enterprise

○ Access the
  IEEE Enterprise
  File Cabinet

Your search matched **0** of **35937** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or entering a new one in the text box.

| ((search <or> query <or> request) and (pyr >= 1950 and pyr | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

Results:
No documents matched your query.

🖨 Print Format

Google™

database request query question cache id result tran	Search	Advanced Search

Advanced Search
Preferences

"comparing" (and any subsequent words) was ignored because we limit queries to 10 words.

Web Results 1 - 10 of about **787** for <u>database</u> <u>request</u> <u>query</u> <u>question</u> <u>cache</u> <u>id</u> <u>result</u> <u>transaction</u> <u>rating</u> <u>rank</u> comparing requ

[PDF] <u>Using BroadVision One-to-One</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... m BV_DB_ STAT -a" monitors the **database query** of an ... What is the **transactions/requests**
mix per sessions? ... the arrival **rate** is the most important **question** to be ...
www.eforceglobal.com/pdf/ Whitepapers/eFORCE_WP-BroadVision.pdf - <u>Similar pages</u>

[PDF] <u>A predicate-based caching scheme for client-server **database** ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... a client results in an explicit refresh **request** to the ... in local partial copies of
original **database** relations ... on the EMPLOYEE relation with **query** predicate dept ...
www-db.stanford.edu/pub/ keller/1995/predicate-**cache**-long.pdf - <u>Similar pages</u>

[PDF] <u>Abstract 1 Introduction 1.1 Related work</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... The following **query requests** the top ve salaries and the ... Traditionally, the **query**
execution model has been one ... to the other the output of the **database query** . ...
crpit.com/confpapers/CRPITV5Natsev.pdf - <u>Similar pages</u>

<u>AskTom "paging through results on the web."</u>
... user, I mean another user's **request** with same dad ... i found that it will degrade the
database performance, because ... select a.*, rownum r from (My **Query** order by ...
asktom.oracle.com/.../f?p=4950:8:197693925536939743::NO::F4950_ P8_DISPLAYID,F4950_P8_CRITERIA:76812348057, - 94k -
<u>Cached</u> - <u>Similar pages</u>

<u>SoftLookup.com - Welcome to one of the world's biggest and fastest ...</u>
... and return only the data that the original statement **requested**. ... to update and delete
as well as **query** tables if ... creates a problem in that the **database** must do ...
www.softlookup.com/tutorial/oracle/ch19.asp - 69k - <u>Cached</u> - <u>Similar pages</u>

<u>Integrating **Query** of Relational and Textual Data in Clinical ...</u>
... The **database** executes the generated SQL, returning the results for display and ... The
IR search **request** is input using the dtSearch **"query** language," which ...
www.pubmedcentral.nih.gov/ articlerender.fcgi?artid=150357 - <u>Similar pages</u>

<u>Pros And Cons of AOLServer Versus</u>
... US$1000 Linux machine does "1000 **request** per second ... on the data models and **database**
stuff. ... gethandle [ns_queryget pool]]})]" ns_puts "doing **query**: [time { set ...
ccm.redhat.com/bboard-archive/webdb/0006o8.html - 58k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>A Scalability Service for Dynamic Web Applications</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... consid- erably by enabling all **query** results to be ... the time spent by an average **request**
in going ... servers, and the time spent in servicing **database requests**. ...
www-db.cs.wisc.edu/cidr/papers/P05.pdf - <u>Similar pages</u>

<u>Extending www.borland.pl with Delphi and InterBase</u>
... When new **query** comes I first check if it is ... without any problem serving even high
number of **requests**. ... skill that you have for building **database** or multimedia ...
community.borland.com/article/0,1410,27177,00.html - 52k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Aggregate Predicate Support in DBMS</u>
File Format: PDF/Adobe Acrobat
... The following **query requests** the top five salaries and ... Traditionally, the **query** execution
model has been one ... to the other (the output of the **database query**). ...

Goooooooooogle ▶

Result Page: **1**   <u>2</u>   <u>3</u>   <u>4</u>   <u>5</u>   <u>6</u>   <u>7</u>   <u>8</u>   <u>9</u> <u>10</u>   **<u>Next</u>**

Free! Google Desktop Search: Search your email, files, chats & web history. <u>Download Now.</u>

| database request query question cache id | **Search** |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google